

DR. NAYLOR® DEHORNING PASTE

By H.W. Naylor

Dehorning Paste

Active Ingredient(s): Calcium hydroxide and sodium hydroxide.

Indications: Prevents horn growth.

Dosage and Administration: Clip off the hair over and around the horn button. With a wood applicator, apply the paste to a spot the size of a quarter once only.

Apply as soon as the horn button can be felt - when the calf or kid is three (3) to seven (7) days old. Keep the animal tied away from others and out of the rain for at least six (6) hours.

Dehorning Older Calves: To dehorn older calves, six (6) to eight (8) weeks of age, where the horn button has started to grow, remove the hair and roughen a ring approximately one-quarter ($\frac{1}{4}$) inch wide around the base of the horn where it joins the skin, with a small scraper or file (do not draw blood). Apply a thin film of paste over the horn button and over the roughened ring around the horn button. Apply once only.

Be particular to apply a thin even coating and only as directed. The reason it is advisable to remove the hair over the horn button before applying the paste is that it is then easier to see that the application is in the right place and in direct contact with the skin.

To further contain the Dehorning Paste, form a ring of udder balm or petroleum jelly around the horn button prior to application.

Caution(s): Poison. Keep from children's reach.

Antidote:

External: Flood with water, then wash with vinegar.

Internal: Give vinegar, or juice of lemon, grapefruit, or orange copiously follow with olive oil.

Eyes: Wash out with 5% boric acid solution.

Call a physician.

For animal use only.

Presentation: 4 oz. jar.